

west virginia department of environmental protection

Division of Air Quality 601 57th Street SE Charleston, WV 25304

Phone: (304) 926-0475 • FAX: (304) 926-0479

Jim Justice, Governor Austin Caperton, Cabinet Secretary www.dep.wv.gov

February 09, 2017

Earvin K. Church II PO Box 1840 Pineville, WV 24874

RE:

Ken & Coy Rock Co., Inc.

Pineville Facility

Permit Application No. G10-D168

Plant ID No. 109-00231

Dear Mr. Church:

Your application for a permit as required by Section 5 of 45CSR13 - "Permits for Construction, Modification, Relocation and Operation of Stationary Sources of Air Pollutants, Notification Requirements, Temporary Permit, General Permit, and Procedures for Evaluation" has been approved. The enclosed permit G10-D168 is hereby issued pursuant to Subsection 5.7 of 45CSR13. Please be aware of the notification requirements in the permit which pertain to commencement of construction, modification, or relocation activities; startup of operations; and suspension of operations.

This permit does not affect 45CSR30 applicability, the source is a nonmajor source subject to 45CSR30.

In accordance with 45CSR30- Operating Permit Program, the permittee shall submit a certified emissions statement and pay fees on an annual basis in accordance with the submittal requirements of the Division of Air Quality. A receipt for the appropriate fee shall be maintained on the premises for which the receipt has been issued, and shall be made immediately available for inspection by the Secretary or his/her duly authorized representative.

Any person whose interest may be affected, including, but not necessarily limited to, the applicant and any person who participated in the public comment process, by a permit issued, modified or denied by the Secretary may appeal such action of the Secretary to the Air Quality Board pursuant to article one [§§22B-1-1 et seq.], Chapter 22B of the Code of West Virginia. West Virginia Code §§22-5-14.

Should you have any questions or comments, please contact me at (304) 926-0499, extension 1212.

Sincerely, Mountain & Marling

Thornton E. Martin Jr.

Permit Engineer

c: Earvin K. Church II, kenandcoy@hotmail
Josh Howell, True Line, Inc., josh@trueline.biz



West Virginia Department of Environmental Protection

Jim Justice Governor

Division of Air Quality

Austin Caperton Cabinet Secretary

Class II General Permit G10-D Registration to Construct



for the

Prevention and Control of Air Pollution in regard to the Construction, Modification, Relocation, Administrative Update and Operation of Coal Preparation and Processing Plants and Coal Handling Operations

The permittee identified at the facility listed below is authorized to construct the stationary sources of air pollutants identified herein in accordance with all terms and conditions of General Permit G10-D.

G10-D168

Issued to:

Ken & Coy Rock Co., Inc.
Pineville Facility
109-00231

William F. Durham

Director

Issued: February 09, 2017

This Class II General Permit Registration will supercede and replace G10-Dxxx (Not Applicable)

Facility Location:

Pineville, Wyoming County, West Virginia

Mailing Address:

PO Box 1840, Pineville, WV 24874

Facility Description:

Coal Preparation Plant

NAICS Codes:

212112

UTM Coordinates:

454.657 km Easting • 4153.427 km Northing • Zone 17

Registration Type:

Construction

Subject to 40CFR60 Subpart Y? Yes Subject to 40CFR60 Subpart IIII? No Subject to 40CFR60 Subpart JJJJ? No

Any person whose interest may be affected, including, but not necessarily limited to, the applicant and any person who participated in the public comment process, by a permit or registration issued, modified or denied by the Secretary may appeal such action of the Secretary to the Air Quality Board pursuant to article one [§§ 22B-1-1 et seq.], Chapter 22B of the Code of West Virginia. West Virginia Code §22-5-14.

This permit does not affect 45CSR30 applicability, the source is a nonmajor source subject to 45CSR30.

Unless otherwise stated WVDEP DAQ did not determine whether the registrant is subject to an area source air toxics standard requiring Generally Achievable Control Technology (GACT) promulgated after January 1, 2007 pursuant to 40 CFR 63, including the area source air toxics provisions of 40 CFR 63, Subpart ZZZZ.

All registered facilities under Class II General Permit G10-D are subject to Sections 1.0, 1.1, 2.0, 3.0, and 4.0.

The following sections of Class II General Permit G10-D apply to the registrant:

Section 5	Coal Preparation and Processing Plants and Coal Handling Operations	X
Section 6	Standards of Performance for Coal Preparation and Processing Plants	
	that Commenced Construction, Reconstruction or Modification after	
	October 27, 1974, and on or before April 27, 2008 (40CFR60 Subpart Y)	
Section 7	Standards of Performance for Coal Preparation and Processing Plants	
	that Commenced Construction, Reconstruction or Modification after	
	April 28, 2008, and on or before May 27, 2009 (40CFR60 Subpart Y)	
Section 8	Standards of Performance for Coal Preparation and Processing Plants	X
	that Commenced Construction, Reconstruction or Modification after	
	May 27, 2009 (40CFR60 Subpart Y)	
Section 9	Reciprocating Internal Combustion Engines (R.I.C.E.)	X
Section 10	Tanks	
Section 11	Standards of Performance for Stationary Compression Ignition Internal	
	Combustion Engines (40CFR60 Subpart IIII)	
Section 12	Standards of Performance for Stationary Spark Ignition Internal	
	Combustion Engines (40CFR60 Subpart JJJJ)	

Emission Units

		Date of		Maxim	um Capacity		Associate	d Transf	er Points
Equipment ID No.	A M R ¹	Manu- facture	Description	ТРН	ТРУ	Control Equip- ment ²	Location: B -Before A -After	ID. No.	Control Equip- ment ²
			Coal Refuse Screening	Circuit			<u></u>		
S-1	A	1998	Single Deck Screen (Powerscreen Chieftan 1400) - Receives refuse material from excavator. Oversized material (<4") drops to ground (OS-1). Pass through material drops onto belt conveyor BC-1	200	384,000	PW	B B A A	TP-1 TP-2 TP-3 TP-4	PE TC-PW N TC-PE
OS-1	A	2017	41 Ton Open Stockpile - Oversize material (>4") from screen S-1 drops to open stockpile. Material is pickup by loader and transferred to articulating truck for transport back to the Coal Refuse Area.		78,720	N	B A A	TP-3 TP-13 TP-17 TP-20	N N TC-PE N
BC-1	A	1998	36" Belt Conveyor - receives material from screen S-1 and transfers to BC-2	159	305,280	N	B A	TP-4 TP-5	TC-PE N
BC-2	A	1998	36" Belt Conveyor - receives material from belt conveyor BC-1 and transfers to screen S-2	159	305,280	N	B A	TP-5 TP-6	N TC-PW
S-2	A	1998	Double Deck Screen (Powerscreen Chieffan 1400) - receives material from belt conveyor BC-2 then transfers to belt conveyors BC-3, BC-4 or BC-5 depending on size.	200	384,000	PW	B A A	TP-6 TP-7 TP-8 TP-9	TC-PW TC-PE TC-PE TC-PE
BC-3	A	1998	42" Belt Conveyor - transfers sized material from screen (< 1/2") to open stockpile OS-4	30	57,600	N	B A	TP-7 TP-10	TC-PE N

	A	Date of		Maxim	um Capacity	Control	Associate	ed Transf	er Points
Equipment ID No.	M R ¹	Manu- facture	Description	ТРН	TPY	Control Equip- ment ²	Location: B -Before A -After	ID, No.	Control Equip- ment ²
BC-4	Α	1998	24" Belt Conveyor - transfers sized material from screen (1/2"-2"") to open stockpile OS-3	59	113,280	N	B A	TP-8 TP-11	TC-PE N
BC-5	A	1998	24" Belt Conveyor - transfers sized material from screen (2"-4"") to open stockpile OS-2	70	134,400	N	B A	TP-9 TP-12	TC-PE N
OS-2	A	2017	82 Ton Open Stockpile - receives (2"-4") from belt conveyor BC-5. Material is pickup by loader and transferred to articulating truck for transport back to the Coal Refuse Area.		134,400	N	B A A	TP-12 TP-15 TP-19 TP-21	N N TC-PE N
OS-3	A	2017	82 Ton Open Stockpile - receives (1/2"-2") from belt conveyor BC-4. Material is then picked up by loader and transferred to articulating truck. Material is dumped into open stockpile OS-5.		113,280	N	B A A	TP-11 TP-16 TP-23 TP-24	N N TC-PE N
OS-4	A		82 Ton Open Stockpile - receives (<1/2") from belt conveyor BC-3. Material is pickup by loader and transferred to articulating truck for transport back to the Coal Refuse Area.		57,600	N	B A A	TP-10 TP-14 TP-18 TP-22	N N TC-PE N
OS-5	A		400 Ton Open Stockpile - receives (1/2"-2") from articulating truck and stored. Material is picked up by loader and transferred to articulating truck for transport to Pinnacle Mining Company.		113,200	SW-WS	B A A	TP-24 TP-25 TP-26	N N TC-PE
E	ngine		Emission Unit Description (Make, Model, Serial No.)	Design Capacity bhp/rpm	Fuel Type	Manufact	actured Date Site Installation Y		
EG-1			1998 Deuts 1012C (Tier 1, Certificate No: DZX-NRCI-98-09)	96/2,200	Diesel	19	1998 201		017

A - Addition; M - Modification; R - Removal (Existing unmodified equipment to be included in the permit is labeled with an M.)

PE - Partial Enclosure; SW-WS - Water Sprays; N - None; PW - Partially Enclosed w/ water spray; TC-PE - Transfer Point Partially Enclosed; TC-PW - Transfer Point Partially Enclosed w/water sprays

Control Devices (Not Applicable)

Control Device ID	Source ID No.	Emission Unit Description	Month/Year Constructed, Reconstructed, or Modified

Reciprocating Internal Combustion Engines

Emission Unit ID	Emission Unit Description (Make, Model, Serial No.)	Year Installed	Design Capacity (Bhp/rpm)
EG-1	1998 Deuts 1012C (Tier 1, Certificate No: DZX-NRCI-98-09)	2017	96/2,200

Reciprocating Internal Combustion Engines (R.I.C.E.) Information

Emission Unit ID	Subject to 40CFR60 Subpart IIII?	Subject to 40CFR60 Subpart JJJJ?	Subject to Sections 9.1.4/9.2.1 (Catalytic Reduction Device)
EG-1	No	No	No

Emission Limitations

Emission Source	Maximum Controlled Hourly Emissions (lb/hr)	Maximum Controlled Annual Emissions (tons/year)
	FUGITIVE EMISSIONS	
Stockpiles	0.06	0.24
Unpaved Haulroads	69.81	67.02
Paved Haulroads	14.78	14.19
Total Fugitive Emissions	84.64	81.45
	POINT SOURCE EMISSIONS	
Equipment Emissions	8.00	7.68
Transfer Point Emissions	0.72	0.70
Total Point Source Emissions	8.72	8.38
	TOTAL FACILITY EMISSIONS	
Total Facility Emissions	93.36	89.83

Engines

Source	Emission Source	Pollutant	Maximum Hourly	Maximum Annual
ID			Emissions (lb/hr)	Emissions (tpy)
EG-1	Deutz 1012C	Nitrogen Oxides	2.98	2.86
		Carbon Monoxide	0.64	0.62
		Volatile Organic Compounds	0.24	0.23
		Sulfur Dioxide	0.20	0.19
		Particulate Matter-10	0.21	0.20
		Formaldehyde	0.0008	0.0008